

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- (Currently amended) A process Process for the preparation of <u>a</u>
 bis(perfluoroalkyl)phosphinic <u>acid or salt</u> acids or salts thereof comprising at least the following process steps:
 - a) reaction of at least one difluorotris(perfluoroalkyl)phosphorane or at least one trifluorobis(perfluoroalkyl)phosphorane with hydrogen fluoride in a suitable reaction medium, and
 - b) heating of the reaction mixture obtained in a).
- 2. (Currently amended) A process Process for the preparation of a bis(perfluoroalkyl)phosphinic acid or salt acids or salts thereof according to Claim 1, characterised in that wherein the salts are prepared by subsequent neutralisation.
- 3. (Currently amended) A process Process according to Claim 1, characterised in that wherein the difluorotris(perfluoroalkyl)phosphorane or trifluorobis(perfluoroalkyl)phosphorane employed is a compound of the general formula I (C_nF_{2n+1})_mPF_{5-m}


T

in which $1 \le n \le 8$, preferably $1 \le n \le 4$, and m in each case = 2 or 3.

- 4. (Currently amended) A process Process according to Claim 1, characterised in that wherein the difluorotris(perfluoroalkyl)phosphorane employed is a compound selected from the group consisting of difluorotris(pentafluoroethyl)phosphorane, difluorotris(n-nonafluorobutyl)phosphorane and or difluorotris(n-heptafluoropropyl)phosphorane.
- 5. (Currently amended) A process Process according to Claim 1, characterised in that wherein the trifluorobis(perfluoroalkyl)phosphorane compound employed is trifluorobis(n-

nonafluorobutyl)phosphorane.

- 6. (Currently amended) A process Process according to Claim 1, characterised in that wherein the temperature during the heating in process step b) is from room temperature to 150°C, preferably from 100°C to 145°C, particularly preferably from 135 to 140°C.
- 7. (Currently amended) A process Process according to Claim 1, characterised in that wherein the duration of the heating in process step b) is from 1 to 150 hours, preferably from 10 to 25 hours, particularly preferably from 18 to 22 hours.
 - 8. (Currently amended) A process Process according to Claim 1, characterised in that wherein the reaction medium is water or a water-based mixture.
 - 9. (Currently amended) A process Process according to Claim 2, characterised in that wherein bases, preferably hydroxides, oxides, hydrides, amides, carbonates, phosphines or amines, are used to prepare the salts.
 - 10. (Currently amended) A salt Salts of a bis(perfluoroalkyl)phosphinic acids acid selected from the group consisting of that is partially alkylated and or peralkylated ammonium, phosphonium, sulfonium, pyridinium, pyridazinium, pyrimidinium, pyrazinium, imidazolium, pyrazolium, thiazolium, oxazolium and or triazolium salts.
 - 11. (Currently amended Salts of A bis(perfluoroalkyl)phosphinic acids acid according to Claim 10, having a cation selected from the group consisting of that is



where R¹ to R⁵ are identical or different, are optionally bonded directly to one another by a single or double bond and are each, individually or together, defined as follows:

- H,
- halogen, where the halogens are not bonded directly to N,
- an alkyl radical (C₁ to C₈), which may be partially or completely substituted by further groups, preferably $F, Cl, N(C_nF_{(2n+1-x)}H_x)_2, O(C_nF_{(2n+1-x)}H_x), SO_2(C_nF_{(2n+1-x)}H_x), \\ C_nF_{(2n+1-x)}H_x, \text{ where } 1 < n < 6 \text{ and } 0 < x \le 2n+1.$
- 12. (Currently Amended) Use of the salts An ionic liquid comprising a bis(perfluoroalkyl)phosphinic acids acid according to Claim 10 as ionic liquids.

- 13. (Currently Amended) A phase-transfer catalyst or surfactant Use of the salts comprising a salt of a bis(perfluoroalkyl)phosphinic acids acid according to Claim 10 as phase transfer catalyst or surfactants.
- 14. (New) A process according to Claim 9, wherein said bases is a hydroxide, oxide, hydride, amide, carbonate, phosphine or amine.
- 15. (New) A process according to Claim 7, wherein the duration of the heating in process step b) is from 10 to 25 hours.
- 16. (New) A process according to Claim 7, wherein the duration of the heating in process step b) is from 18 to 22 hours.
- 17. (New) A process according to Claim 6, wherein the temperature during the heating in process step b) is from 100°C to 145°C.
- 18. (New) A process according to Claim 6, wherein the temperature during the heating in process step b) is from 135 to 140°C.